

- [11] Sun FF, Wang L, Hong J, Ren J, Du F, Hu J, Zhang Z, Zhou B, The impact of glycerol organosolv pretreatment on the chemistry and enzymatic hydrolyzability of wheat straw, *Bioresour. Technol.* 187 (2015) 354-361.
- [12] Inkrod C, Raita M, Champreda V, Laosiripojana N, Characteristics of lignin extracted from different lignocellulosic materials via organosolv fractionation, *BioEnergy Research* 11 (2018) 277-290.
- [13] Carvalheiro F, Duarte LC, Gírio FM, Hemicellulose biorefineries: a review on biomass pretreatments, *Journal of Scientific & Industrial Research* 67 (2008) 849-864.
- [14] Teng J, Ma H, Wang F, Wang L, Xuehui Li X, Catalytic fractionation of raw biomass to biochemicals and organosolv lignin in a methyl isobutyl ketone/H₂O biphasic system, *ACS Sustainable Chemistry & Engineering* 4/4 (2016) 2020-2026.
- [15] Khalil HA, Bhat A, Yusra AI, Green composites from sustainable cellulose nanofibrils: A review, *Carbohydrate Polymers* 87/2 (2012) 963-979.
- [16] Alekhina M, Ershova O, Ebert A, Heikkinen S, Sixta H, Softwood kraft lignin for value-added applications: Fractionation and structural characterization, *Industrial Crops and Products* 66 (2015) 220-228.
- [17] Figueiredo P, Lintinen K, Hirvonen JT, Kostiaainen MA, Santos HA, Properties and chemical modifications of lignin: towards lignin-based nanomaterials for biomedical applications, *Progress in Materials Science* 2017.
- [18] Sá RMD, Miranda CSD, José MN, Preparation and characterization of nanowhiskers cellulose from fiber arrowroot (*Maranta arundinacea*), *Materials Research* 18 (2015) 225-229.
- [19] Morán JI, Alvarez VA, Cyras VP, Vázquez A, Extraction of cellulose and preparation of nanocellulose from sisal fibers, *Cellulose* 15/1 (2008) 149-159.